

NDT ITALIANA SRL	Revision nr. 13 Dated 29/09/2022
08.115 - K71B2P SP	Printed on 29/09/2022 Page n. 1/13 Replaced revision:12 (Dated: 18/09/2020)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Code:	08.115
Product name	K71B2P SP
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Intended use	Red Penetrant
1.3. Details of the supplier of the safety data sheet	
Name	NDT ITALIANA SRL
Full address	Via del Lavoro 28
District and Country	20863 Concorezzo (MB) Italy
	Tel. +39 039647590
	Fax +39 039647799
e-mail address of the competent person responsible for the Safety Data Sheet	info@ndt.it
1.4. Emergency telephone number	
For urgent inquiries refer to	C.A.V. Niguarda +39 02 661.010.29

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Aerosol, category 1	H222 H229	Extremely flammable aerosol. Pressurised container: may burst if heated.
Aspiration hazard, category 1	H304	May be fatal if swallowed and enters airways.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H222 Extremely flammable aerosol.
H229 Pressurised container: may burst if heated.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251 Do not pierce or burn, even after use.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.
P211 Do not spray on an open flame or other ignition source.

Contains: Alkanes C12 C15 < 2% aromatics

Statements on the aspiration toxicity classification were not included in the label elements, based on section 1.3.3. of Annex I to CLP.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
DME		
INDEX 603-019-00-8	$50 \leq x < 70$	Flam. Gas 1A H220
EC 204-065-8		
CAS 115-10-6		
REACH Reg. 01-2119472128-37		
Alkanes C12 C15 < 2% aromatics		
INDEX -	$10 \leq x < 20$	Asp. Tox. 1 H304
EC 920-107-4		
CAS -		
REACH Reg. 01-2119453414-43		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

NDT ITALIANA SRL	Revision nr. 13 Dated 29/09/2022
08.115 - K71B2P SP	Printed on 29/09/2022 Page n. 3/13 Replaced revision:12 (Dated: 18/09/2020)

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions

<p align="center">NDT ITALIANA SRL</p>	<p>Revision nr. 13 Dated 29/09/2022</p>
<p align="center">08.115 - K71B2P SP</p>	<p>Printed on 29/09/2022 Page n. 4/13 Replaced revision:12 (Dated: 18/09/2020)</p>

Do not disperse in the environment.

6.3. Methods and material for containment and cleaning up

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

None required.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter

<p align="center">NDT ITALIANA SRL</p>	<p>Revision nr. 13 Dated 29/09/2022</p>
<p align="center">08.115 - K71B2P SP</p>	<p>Printed on 29/09/2022 Page n. 5/13 Replaced revision:12 (Dated: 18/09/2020)</p>

combined with a type P filter should be worn (see standard EN 14387).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Alkanes C12 C15 < 2% aromatics

In cases of potential contact, use gloves resistant to oils and solvents (neoprene, PVC, nitrile: minimum 0.38 mm of thickness or material of equivalent protective barrier with a high level performance for conditions of contact use continuous, with a minimum permeability time of 480 minutes in accordance with the standard CEN standard EN 420, 374 provide general requirements and list the types of gloves).). Working conditions can greatly affect the adequacy and durability of gloves. Replace the gloves with the first signs of wear.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	aerosol	
Colour	red	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	> not applicable	
Flammability	not available	
Lower explosive limit	0,7 % (v/v)	
Upper explosive limit	6,5 % (v/v)	
Flash point	not applicable	
Auto-ignition temperature	> 200 °C	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	6 mm ² /s	
Solubility	insoluble in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	0,15 kPa	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

NDT ITALIANA SRL	Revision nr. 13 Dated 29/09/2022
08.115 - K71B2P SP	Printed on 29/09/2022 Page n. 6/13 Replaced revision:12 (Dated: 18/09/2020)

VOC (Directive 2010/75/EU)	67,00 %
Explosive properties	not applicable

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Avoid overheating.

10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture:	Not classified (no significant component)
ATE (Dermal) of the mixture:	Not classified (no significant component)

Alkanes C12 C15 < 2% aromatics

Acute toxicity: (Rat) 4 h LC 50> 5000 mg / m3. Extremely toxic. Based on test data for structural materials similar to OECD 403 guidelines.

Irritation: Negligible danger at room temperature or normal handling.

Acute toxicity (Rabbit): LD 50> 5000 mg / kg. Minimally toxic. Based on test data for structural materials similar to OECD 402 guidelines

It will cause discomfort to the eyes, cause redness and temporary suffering, but will not damage the eye tissue. OECD Guidelines 405.

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Alkanes C12 C15 < 2% aromatics

Respiratory sensitization: It is assumed that it is not a respiratory sensitizer

Skin sensitization

Alkanes C12 C15 < 2% aromatics

Skin sensitization: It is assumed that it is not a skin sensitizer. Based on test data for materials of structure similar to OECD 406 guidelines.

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

Alkanes C12 C15 < 2% aromatics

It is assumed that it is not a germ cell mutagen. Based on data from test for materials of similar structure to OECD guidelines 471 473 474 476 478 479.

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

Alkanes C12 C15 < 2% aromatics

It is assumed that it does not cause cancer. Based on test data for materials of similar line structure OECD Guide 453

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Alkanes C12 C15 < 2% aromatics

It is assumed that it is not a toxic agent for reproduction. Based on data from test for materials of similar structure to OECD guidelines 414 421

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Alkanes C12 C15 < 2% aromatics

Single exposure: It is assumed that it does not cause damage to organs following a single exposure

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Alkanes C12 C15 < 2% aromatics

Repeated exposure: It is assumed that it does not cause organ damage following prolonged or repeated exposure. In based on test data for materials of similar structure to OECD Guidelines 408 413 422

ASPIRATION HAZARD

Toxic for aspiration

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Alkanes C12 C15 < 2% aromatics

It is not expected to be harmful to aquatic organisms.

Chronic toxicity to aquatic organisms is not expected to be demonstrated

12.2. Persistence and degradability

Alkanes C12 C15 < 2% aromatics

This substance is assumed to be "easily" biodegradable.

Atmospheric oxidation: It is assumed that it degrades rapidly in the air.

Hydrolysis: The transformation by hydrolysis is not expected to be significant

Photolysis: The transformation by photolysis is not presumed to be significant

12.3. Bioaccumulative potential

Alkanes C12 C15 < 2% aromatics

Not determined

12.4. Mobility in soil

Alkanes C12 C15 < 2% aromatics

This material has low solubility and is assumed to float and migrate from water to the ground. It is assumed that it will restart in sediment and in solids suspended in waste water

12.5. Results of PBT and vPvB assessment

Alkanes C12 C15 < 2% aromatics

This product is not, or does not contain, a substance called PBT or vPvB

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 1950

14.2. UN proper shipping name

ADR / RID: AEROSOLS

IMDG: AEROSOLS

IATA: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es)

ADR / RID: Class: 2 Label: 2.1

IMDG: Class: 2 Label: 2.1

IATA: Class: 2 Label: 2.1



14.4. Packing group

ADR / RID, IMDG, IATA: -

14.5. Environmental hazards

ADR / RID: NO

IMDG: NO

NDT ITALIANA SRL	Revision nr. 13 Dated 29/09/2022
08.115 - K71B2P SP	Printed on 29/09/2022 Page n. 11/13 Replaced revision:12 (Dated: 18/09/2020)

IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: -	Limited Quantities: -	Tunnel restriction code: -
IMDG:	Special provision: - EMS: F-D, S-U	Limited Quantities: -	
IATA:	Cargo:	Maximum quantity: 150 Kg	Packaging instructions: PI 203
	Pass.:	Maximum quantity: 75 Kg	Packaging instructions: PI 203
	Special provision:	-	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: P3a

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	40

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

NDT ITALIANA SRL	Revision nr. 13 Dated 29/09/2022
08.115 - K71B2P SP	Printed on 29/09/2022 Page n. 12/13 Replaced revision:12 (Dated: 18/09/2020)

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Gas 1A	Flammable gas, category 1A
Aerosol 1	Aerosol, category 1
Aerosol 3	Aerosol, category 3
Asp. Tox. 1	Aspiration hazard, category 1
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H304	May be fatal if swallowed and enters airways.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

NDT ITALIANA SRL	Revision nr. 13 Dated 29/09/2022
08.115 - K71B2P SP	Printed on 29/09/2022 Page n. 13/13 Replaced revision:12 (Dated: 18/09/2020)

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 09 / 11 / 12 / 15 / 16.